

6112DSTM	ADAPTER PLATE ASSY, DUAL STX6 METAL, SM/MM, 12 PORT
6112MMDST	ADAPTER PLATE ASSY, DUAL STX6, MM, 12 PORT, OCC
6112SMDST	ADAPTER PLATE ASSY, DUAL STX6, SM, 12 PORT, OCC
6112DST	ADAPTER PLATE ASSY, DUAL STX6 , SM/MM, 12 PORT, OCC
OCC PART NO.	DESCRIPTION

NOTES: UNLESS OTHERWISE SPECIFIED.

- 1. EACH FIBER ADAPTER KIT IS SUPPLIED WITH COMPONENTS SHOWN.
- 2. ADAPTER SPECIFICATIONS (MULTIMODE) 50μm, 50μm 10 GIG, 62.5μm INSERTION LOSS (AVERAGE): PHOSPHOR BRONZE SLEEVE: ≤0.3 dB MAX. SLEEVE/FERRULE WITHDRAWAL FORCE: 2.0N ~ 5.9N (200gf ~ 600gf)

DUST CAPS (TYP)

3. ADAPTER SPECIFICATIONS (SINGLEMODE)
INSERTION LOSS (AVERAGE): ZIRCONIA CERAMIC SLEEVE: ≤0.2 dB MAX.
SLEEVE/FERRULE WITHDRAWAL FORCE: 2.0N ~ 5.9N (200gf ~ 600gf)

UNCONTROLLED COPY

NEXT DWG

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. TOLERANCES: FRACTIONS ±1/32" ANGLES ±1/2°

3 PLACE DECIMALS ±.005" 2 PLACE DECIMALS ±.01" MATERIAL

ANGLE SEE BILL OF MATERIAL

PROJECTION

(A) = AUDIT

CRITICAL DIMENSION CC F = FUNCTION (M) = MATING CIFIED THIS DRAWING AND THE DESIGN SHOWN ARE THE PROPERTY OF OPTICAL CABLE CORPORATION AND MAY NOT BE USED AS THE BASIS FOR MANU—2° FACTURE OR SALE WITHOUT SPECIFIC WRITTEN PERMISSION OF OPTICAL CABLE CORPORATION.

DRAWN D.A	A.HOLBERT	DATE	5/16/03	٦
CHECKED	R.B.SMITH	DATE	5/19/03	
ENGINEER	J.YANIK	DATE	5/16/03	
APPROVED	R.B.SMITH	DATE	1/26/12	
PREVIOUS D	WG			l

OPTICAL CABLE CORPORATION

5290 Concourse Drive Roanoke, VA 24019 Phone: 800-622-7711 Fax: 540-265-0724 www.occfiber.com

ADAPTER PLATE ASSY, OCC, DUAL STX6, SM/MM, 12 PORT

DATE 1/26/12 SIZE DWG NO. C 1 0 6 0 7 4 G

FILENAME C106074G.DFT SCALE: NONE SHEET 1 OF 1

CODE	FINISH SEE NOTES